

cecotec



ELECTRIC PANEL HEATERS

Heating

Less cold for less energy consumption.

The ideal solution for those seeking to create a warmer and more exclusive environment. Their great versatility for transport and displacement, low consumption, and silent technology make them the ideal winter companion.



Index

Less cold for less energy consumption.	2
ReadyWarm 800 Thermal	4
ReadyWarm 1200 Thermal	5
ReadyWarm 1800 Thermal	6
ReadyWarm 2000 Thermal	7
ReadyWarm 2500 Thermal	8
ReadyWarm 800 Thermal Black	9
ReadyWarm 1200 Thermal Black	10
ReadyWarm 1800 Thermal Black	11
ReadyWarm 2000 Thermal Black	12
ReadyWarm 2500 Thermal Black	13
ReadyWarm 800 Thermal Connected	14
ReadyWarm 1200 Thermal Connected	15
ReadyWarm 1800 Thermal Connected	16
ReadyWarm 2000 Thermal Connected	17
ReadyWarm 2500 Thermal Connected	18
ReadyWarm 4000 Thermal Ceramic Connected	19
ReadyWarm 6000 Thermal Ceramic Connected	20
ReadyWarm 8000 Thermal Ceramic Connected	23
Comparative table	24

ReadyWarm 800 Thermal

Dry thermal emitter, 4 fins, 600 W, LCD display and remote control.


FEATURES:


- 4-fin aluminium electric radiator.
- Minimum consumption, 600 W, allows energy saving.
- 3 Heating modes, choose between Day mode (5-35 °C), Nigh mode (5-25 °C) and Neverfrost mode (5-15 °C).
- WarmTimer, programmable up to 24 hours/day, 7 days/week, and with Auto-off function.
- Smart Control LCD display and remote control, for easier usability.
- Elegant SlimDesign, only 5-cm thickness.
- WarmSpace technology, capable of heating 8 m² fast and efficiently.
- Overprotect System, protection against overheating: AutoOff System that stops the fan heater from operating when it is excessively hot.
- Includes feet and wall bracket for different installation options.
- Security System: safety grid that prevents access to the electric radiator inner parts.


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 53 x 10.5 x 62 cm 4.66 kg

 42 x 5 (26) x 58 cm 3,5 kg

 220-240 V, 50/60 Hz.
600 W

 8435484053303 (Box)
8435484053303 (Master)
05330

ReadyWarm 1200 Thermal

Dry thermal emitter, 6 fins, 900 W, LCD display and remote control.


FEATURES:


- 6-fin aluminium electric radiator.
- Minimum consumption, 900 W, allows energy saving.
- 3 Heating modes, choose between Day mode (5-35 °C), Nigh mode (5-25 °C) and Neverfrost mode (5-15 °C).
- WarmTimer, programmable up to 24 hours/day, 7 days/week, and Auto-off function for the device to automatically turn off after the scheduled time.
- Smart Control LCD display and remote control, for easier usability.
- Elegant SlimDesign, only 5-cm thickness.
- WarmSpace technology, capable of heating 10 m² fast and efficiently.
- Overprotect System, protection against overheating: AutoOff System that stops the fan heater from operating when it is excessively hot.
- Includes feet and wall bracket for different installation options.
- Security System: safety grid that prevents access to the electric radiator inner parts.


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 67 x 10.5 x 62 cm 5.72 kg

 55 x 5 (26) x 58 cm 5 kg

 220-240 V, 50/60 Hz.
900 W

 8435484053310 (Box)
8435484053310 (Master)
05331

ReadyWarm 1800 Thermal


Dry thermal emitter, 8 fins, 1200 W, LCD display and remote control.


FEATURES:


- 8-fin aluminium electric radiator.
- Minimum consumption, 1200 W, allows energy saving.
- 3 Heating modes, choose between Day mode (5-35 °C), Nigh mode (5-25 °C) and Neverfrost mode (5-15 °C).
- WarmTimer, programmable up to 24 hours/day, 7 days/week, and with Auto-off function.
- Smart Control LCD display and remote control, for easier usability.
- Elegant SlimDesign, only 5-cm thickness.
- WarmSpace technology, capable of heating 15 m² fast and efficiently.
- Overprotect System, protection against overheating: AutoOff System that stops the fan heater from operating when it is excessively hot.
- Includes feet and wall bracket for different installation options.
- Security System: safety grid that prevents access to the electric radiator inner parts.


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 81 x 10.5 x 62 cm 6.78 kg

 69 x 5 (26) x 58 cm 6 kg

 220-240 V, 50/60 Hz.
1200 W

 8435484053327 (Box)
8435484053327 (Master)
05332

ReadyWarm 2000 Thermal

Dry thermal emitter, 10 fins, 1500 W, LCD display and remote control.


FEATURES:

- 10-fin aluminium electric radiator.
- Minimum consumption, 1500 W, allows energy saving.
- 3 Heating modes, choose between Day mode (5-35 °C), Nigh mode (5-25 °C) and Neverfrost mode (5-15 °C).
- WarmTimer, programmable up to 24 hours/day, 7 days/week, and Auto-off function for the device to automatically turn off after the scheduled time.
- Smart Control LCD display and remote control, for easier usability.
- Elegant SlimDesign, only 5-cm thickness.
- WarmSpace technology, capable of heating 20 m² fast and efficiently.
- Overprotect System, protection against overheating: AutoOff System that stops the fan heater from operating when it is excessively hot.
- Includes feet and wall bracket for different installation options.
- Security System: safety grid that prevents access to the electric radiator inner parts.


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 95 x 10.5 x 62 cm 7.85 kg

 83 x 5 (26) x 58 cm 7 kg

 220-240 V, 50/60 Hz.
1500 W

 8435484053334 (Box)
8435484053334 (Master)
05333

ReadyWarm 2500 Thermal

Dry thermal emitter, 12 fins, 1800 W, LCD display and remote control.

FEATURES:

- 12-fin aluminium electric radiator.
- Minimum consumption of 1800 W, maximum efficiency and energy saving.
- 3 Heating modes, choose between Day mode (5-35 °C), Nigh mode (5-25 °C) and Neverfrost mode (5-15 °C).
- WarmTimer, programmable up to 24 hours/day, 7 days/week, and with Auto-off function.
- Smart Control LCD display and remote control, for easier usability.
- Elegant SlimDesign, only 5-cm thickness.
- WarmSpace technology, capable of heating 25 m² fast and efficiently.
- Overprotect System, protection against overheating: AutoOff System that stops the fan heater from operating when it is excessively hot.
- Includes feet and wall bracket for different installation options.
- Security System: safety grid that prevents access to the electric radiator inner parts.


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 1.1 x 1.0 x 0.62 cm 8.95 kg

 97 x 5 (26) x 58 cm 8 kg

 220-240 V, 50/60 Hz.
1800 W

 8435484053341 (Box)
8435484053341 (Master)
05334

ReadyWarm 800 Thermal Black


Electric radiator with 4 fins and 600 W, LCD display, remote control, programmable timer, temperature adjustment, 8-m² coverage area and maximum safety.


FEATURES:

- The electric radiator is highly powerful due to its 600 W and 4 fins, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 8 m² allows reaching the desired temperature in a short amount of time.
- Thanks to its LCD display, the operating settings can be easily seen.
- The heater includes remote control for a total, smart and comfortable control.
- It has a programmable timer 24/7 with which you can set the time and day you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the current room temperature, and select the desired temperature within a range of 5°C and 35°C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 53 x 10.5 x 62 cm 4.66 kg

 42 x 5 (26) x 58 cm 3.5 kg

 220-240 V, 50/60 Hz.
600 W

 8435484058926 (Box)
18435484058923 (Master)
05892

ReadyWarm 1200 Thermal Black

Electric radiator with 6 fins and 900 W, LCD display, remote control, programmable timer, temperature selection, 10-m² coverage area and maximum safety.

FEATURES:


- The electric radiator is highly powerful due to its 900 W and 6 heating elements, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 10 m² allows reaching the desired temperature in a short amount of time.
- Thanks to its LCD display, the operating settings can be easily seen.
- The heater includes remote control for a total, smart and comfortable control.
- It has a programmable timer 24/7 with which you can set the time and day you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the current room temperature, and select the desired temperature within a range of 5°C and 35°C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 67 x 10,5 x 62 cm 5,72 kg

 55 x 5 (26) x 58 cm 5 kg

 220-240 V, 50/60 Hz
900 W

 8435484058933 (Box)
18435484058930 (Master)
05893

ReadyWarm 1800 Thermal Black

Electric radiator with 4 fins and 1200 W, LCD display, remote control, programmable timer, temperature adjustment, 15-m² coverage area and maximum safety.


FEATURES:


- The electric radiator is highly powerful due to its 1200 W and 8 fins, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 15 m² allows reaching the desired temperature in a short amount of time.
- Thanks to its LCD display, the operating settings can be easily seen.
- The heater includes remote control for a total, smart and comfortable control.
- It has a programmable timer 24/7 with which you can set the time and day you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the current room temperature, and select the desired temperature within a range of 5°C and 35°C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 81 x 10,5 x 62 cm 6,78 kg

 69 x 5 (26) x 58 cm 6 kg

 220-240 V, 50/60 Hz
1200 W

 8435484058940 (Box)
18435484058947 (Master)
05894

ReadyWarm 2000 Thermal Black

Electric radiator with 10 fins and 1500 W, LCD display, remote control, programmable timer, temperature selection, 20-m² coverage area and maximum safety.

FEATURES:


- The electric radiator is highly powerful due to its 1500 W and 10 fins, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 20 m² allows reaching the desired temperature in a short amount of time.
- Thanks to its LCD display, the operating settings can be easily seen.
- The heater includes remote control for a total, smart and comfortable control.
- It has a programmable timer 24/7 with which you can set the time and day you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the current room temperature, and select the desired temperature within a range of 5°C and 35°C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 95 x 10.5 x 62 cm 7.85 kg

 83 x 5 (26) x 58 cm 7 kg

 220-240 V, 50/60 Hz
1500 W

 8435484058957 (Box)
18435484058954 (Master)
05895

ReadyWarm 2500 Thermal Black

Electric radiator with 12 fins and 1800 W, LCD display, remote control, programmable timer, temperature selection, 25-m² coverage area and maximum safety.

FEATURES:


- The electric radiator is highly powerful due to its 1800 W and 12 fins, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 25 m² allows reaching the desired temperature in a short amount of time.
- Thanks to its LCD display, the operating settings can be easily seen.
- The heater includes remote control for a total, smart and comfortable control.
- It has a programmable timer 24/7 with which you can set the time and day you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the current room temperature, and select the desired temperature within a range of 5°C and 35°C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 11 x 10 x 62 cm 8.95 kg

 97 x 5 (26) x 58 cm 8 kg

 220-240 V, 50/60 Hz
1800 W

 8435484058032 (Box)
18435484058039 (Master)
05803

ReadyWarm 800 Thermal Connected


Electric radiator with 4 fins and 600 W, Wi-Fi control, LED display, remote control, programmable timer, temperature selection, 8-m² coverage area and maximum safety.

FEATURES:

- The electric radiator is highly powerful due to its 600 W and 4 fins, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 8 m² allows reaching the desired temperature in a short amount of time.
- Its Wi-Fi control through Smartphone allows setting different heating configurations.
- Thanks to its LCD display and its remote control, the heater offers completely intelligent and convenient control.
- It has a programmable timer with which you can set the time at which you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the room temperature, and selecting the desired temperature within a range of 5 °C and 40 °C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 53 x 10 x 62.5 cm 4.5 kg

 41 x 26 x 63 cm 3,4 kg

 220-240 V, 50/60 Hz
600 W

 8435484053723 (Box)
05372

ReadyWarm 1200 Thermal Connected

Electric radiator with 6 fins and 900 W, Wi-Fi control, LED display, remote control, programmable timer, temperature selection, 10-m² coverage area and maximum safety.

FEATURES:


- The electric radiator is highly powerful due to its 900 W and 6 heating elements, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 10 m² allows reaching the desired temperature in a short amount of time.
- Its Wi-Fi control through Smartphone allows setting different heating configurations.
- Thanks to its LCD display and its remote control, the heater offers completely intelligent and convenient control.
- It has a programmable timer with which you can set the time at which you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the room temperature, and selecting the desired temperature within a range of 5 °C and 40 °C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 67.2 x 10 x 62.5 cm 5.6 kg

 55 x 26 x 63 cm 4,34 kg

 220-240 V, 50/60 Hz
900 W

 8435484053730 (Box)
05373

ReadyWarm 1800 Thermal Connected

Electric radiator with 8 fins and 1200 W, Wi-Fi control, LED display, remote control, programmable timer, temperature selection, 15-m² coverage area and maximum safety.

FEATURES:

- The electric radiator is highly powerful due to its 1200 W and 8 fins, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 15 m² allows reaching the desired temperature in a short amount of time.
- Its Wi-Fi control through Smartphone allows setting different heating configurations.
- Thanks to its LCD display and its remote control, the heater offers completely intelligent and convenient control.
- It has a programmable timer with which you can set the time at which you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the room temperature, and selecting the desired temperature within a range of 5 °C and 40 °C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).

COMPOSITION:

- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



-  81 x 10 x 62.5 cm 6.9 kg
-  69 x 26 x 63 cm 5,26 kg
-  220-240 V, 50/60 Hz
1200 W
-  8435484053747 (Box)
05374

ReadyWarm 2000 Thermal Connected

Electric radiator with 10 fins and 1500 W, Wi-Fi control, LED display, remote control, programmable timer, temperature selection, 20-m² coverage area and maximum safety.

FEATURES:

- The electric radiator is highly powerful due to its 1500 W and 10 fins, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 20 m² allows reaching the desired temperature in a short amount of time.
- Its Wi-Fi control through Smartphone allows setting different heating configurations.
- Thanks to its LCD display and its remote control, the heater offers completely intelligent and convenient control.
- It has a programmable timer with which you can set the time at which you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the room temperature, and selecting the desired temperature within a range of 5 °C and 40 °C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).

COMPOSITION:

- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



-  95 x 10 x 62.5 cm 7.7 kg
-  83 x 26 x 63 cm 6,2 kg
-  220-240 V, 50/60 Hz
1500 W
-  8435484053754 (Box)
05375

ReadyWarm 2500 Thermal Connected

Electric radiator with 12 fins and 2000 W, Wi-Fi control, LED display, remote control, programmable timer, temperature selection, 25-m² coverage area and maximum safety.

FEATURES:


- The electric radiator is highly powerful due to its 2000 W and 12 fins, and capable of heating rooms in a small amount of time.
- Its wide coverage area of up to 25 m² allows reaching the desired temperature in a short amount of time.
- Its Wi-Fi control through Smartphone allows setting different heating configurations.
- Thanks to its LCD display and its remote control, the heater offers completely intelligent and convenient control.
- It has a programmable timer with which you can set the time at which you want the device to start working and the operating time.
- Its thermostat allows the radiator to detect the room temperature, and selecting the desired temperature within a range of 5 °C and 40 °C.
- Maximum adaptability as it can be installed on the wall or it can be used as portable thanks to its casters.
- It features 2 safety systems, which include protection against overheating (home protection) and child safety lock (prevents risks arising from accidental use).


COMPOSITION:


- Electric radiator
- Feet and bracket
- Remote control
- Instruction manual



 108.8 x 10 x 62.7 cm 8.8 kg

 96,5 x 26 x 62,6 cm 7,1 kg

 220-240 V, 50/60 Hz
2000 W

 8435484053761 (Box)
05376

ReadyWarm 4000 Thermal Ceramic Connected

1000 W electric radiator with cast aluminium and ceramic technology, 4 fins, 12 m², Wi-Fi control, LCD display, 24/7 weekly schedule, IPX4 protection, 4 modes, temperature selection and maximum safety.


FEATURES:


- Electric radiator with cast aluminium, 4 heating elements and 1000 W great power, with which you can quickly heat the room in which it is placed, of approximately up to 12 m².
- Thanks to its Ceramic Technology, the electric radiator keeps the temperature and continues to radiate heat for some time after it has been turned off, resulting in economic and environmental savings.
- Control its operation from your smartphone thanks to the EnergySilence app, along with its LCD display, which allows you to control the heater's operation in a convenient and easy manner.
- It has a 24/7 programmable timer with which you can set the hour, day of the week and time you want the device to start working.
- Its IPX4 protection allows you to place the radiator in the bathroom, ensuring maximum safety and calm.
- It has 4 operating modes to adapt to the needs in every moment: Comfort mode, Eco mode, Anti-frost mode and Open window mode.
- It allows setting the desired temperature in a room from 5°C to 35°C to enjoy the ideal temperature in every moment and situation.
- Maximum safety guaranteed thanks to its protection against overheating with AutoOff system, which stops operation automatically in case of overheating, avoiding possible risks. It also has a child lock to prevent unwanted product handling, on/off switch and robust wall mounting.


COMPOSITION:


- Electric radiator
- Wall assembly kit
- Instruction manual



 56.5 x 13.3 x 55.4 cm 12.55 kg

 51 x 8 x 57.5 cm 10,2 kg

 230V ~ 50Hz
1000W

 8435484058162 (Box)
18435484058169 (Master)
05816

ReadyWarm 6000 Thermal Ceramic Connected


1500 W electric radiator with cast aluminium and ceramic technology, 6 fins, 20 m², Wi-Fi control, LCD display, 24/7 weekly schedule, IPX4 protection, 4 modes, temperature selection and maximum safety.

FEATURES:

- Electric radiator with cast aluminium, 6 heating elements and 1500 W great power, with which you can quickly heat the room in which it is placed, of approximately up to 20 m².
- Thanks to its Ceramic Technology, the electric radiator keeps the temperature and continues to radiate heat for some time after it has been turned off, resulting in economic and environmental savings.
- Control its operation from your smartphone thanks to the EnergySilence app, along with its LCD display, which allows you to control the heater's operation in a convenient and easy manner.
- It has a 24/7 programmable timer with which you can set the hour, day of the week and time you want the device to start working.
- Its IPX4 protection allows you to place the radiator in the bathroom, ensuring maximum safety and calm.
- It has 4 operating modes to adapt to the needs in every moment: Comfort mode, Eco mode, Anti-frost mode and Open window mode.
- It allows setting the desired temperature in a room from 5°C to 35°C to enjoy the ideal temperature in every moment and situation.
- Maximum safety guaranteed thanks to its protection against overheating with AutoOff system, which stops operation automatically in case of overheating, avoiding possible risks. It also has a child lock to prevent unwanted product handling, on/off switch and robust wall mounting.

COMPOSITION:

- Electric radiator
- Wall assembly kit
- Instruction manual





ReadyWarm 8000 Thermal Ceramic Connected


2000 W electric radiator with cast aluminium and ceramic technology, 8 fins, 28 m², Wi-Fi control, LCD display, 24/7 weekly schedule, IPX4 protection, 4 modes, temperature selection and maximum safety.


FEATURES:


- Electric radiator with cast aluminium, 8 fins and 2000-W great power, with which you can quickly heat the room in which it is placed, of approximately up to 28 m².
- Thanks to its Ceramic Technology, the electric radiator keeps the temperature and continues to radiate heat for some time after it has been turned off, resulting in economic and environmental savings.
- Control its operation from your smartphone thanks to the EnergySilence app, along with its LCD display, which allows you to control the heater's operation in a convenient and easy manner.
- It has a 24/7 programmable timer with which you can set the hour, day of the week and time you want the device to start working.
- Its IPX4 protection allows you to place the radiator in the bathroom, ensuring maximum safety and calm.
- It has 4 operating modes to adapt to the needs in every moment: Comfort mode, Eco mode, Anti-frost mode and Open window mode.
- It allows setting the desired temperature in a room from 5°C to 35°C to enjoy the ideal temperature in every moment and situation.
- Maximum safety guaranteed thanks to its protection against overheating with AutoOff system, which stops operation automatically in case of overheating, avoiding possible risks. It also has a child lock to prevent unwanted product handling, on/off switch and robust wall mounting.


COMPOSITION:


- Electric radiator
- Wall assembly kit
- Instruction manual

 86.5 x 14 x 65.4 cm 19.2 kg

 81 x 8 x 57.5 cm 17,4 kg

 230V ~ 50Hz
2000W

 8435484058186 (Box)
18435484058183 (Master)
05818





READY WARM 800 THERMAL READY WARM 800 THERMAL BLACK READY WARM 800 THERMAL CONNECTED READY WARM 1200 THERMAL



READY WARM 1200 THERMAL BLACK READY WARM 1200 THERMAL CONNECTED READY WARM 1800 THERMAL READY WARM 1800 THERMAL BLACK READY WARM 1800 THERMAL CONNECTED

<i>REF</i>	5330	5892	5372	5331	5893	5373	5332	5894	5374
<i>Power</i>	600 W	600 W	600 W	900 W	900 W	900 W	1200 W	1200 W	1200 W
<i>No. of panels</i>	4	4	4	6	6	6	8	8	8
<i>Operating modes</i>	3	3	3	3	3	3	3	3	3
<i>Coverage</i>	8 m ²	8 m ²	8 m ²	10 m ²	10 m ²	10 m ²	15 m ²	15 m ²	15 m ²
<i>Programmable</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Remote control</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>LED display</i>	✗	✗	✓	✗	✗	✓	✗	✗	✓
<i>LCD display</i>	✓	✓	✗	✓	✓	✗	✓	✓	✗
<i>Floor and wall assembly</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Protection against overheating</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Auto power off</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Wi-Fi</i>	✗	✗	✓	✗	✗	✓	✗	✗	✓
<i>Measures</i>	42 X 5 X 58 cm	42 X 5 X 58 cm	42 X 5 X 58 cm	55 X 5 X 58 cm	55 X 5 X 58 cm	55 X 5 X 58 cm	69 X 5 X 58 cm	69 X 5 X 58 cm	69 X 5 X 58 cm
<i>Weight</i>	3.5 kg	3.5 kg	3.5 kg	5 kg	5 kg	5 kg	6 kg	6 kg	6 kg



READY WARM 2000 THERMAL READY WARM 2000 THERMAL BLACK READY WARM 2000 THERMAL CONNECTED READY WARM 2500 THERMAL



READY WARM 2500 THERMAL BLACK READY WARM 2500 THERMAL CONNECTED READY WARM 4000 THERMAL CERAMIC CONNECTED READY WARM 6000 THERMAL CERAMIC CONNECTED READY WARM 8000 THERMAL CERAMIC CONNECTED

<i>REF</i>	5333	5895	5375	5334	5803	5376	5816	5817	5818
<i>Power</i>	1500 W	1500 W	1500 W	1800 W	1800 W	1800 W	1000W	1500 W	2000 W
<i>No. of panels</i>	10	10	10	12	12	12	4	6	8
<i>Operating modes</i>	3	3	3	3	3	3	3	3	3
<i>Coverage</i>	20 m ²	20 m ²	20 m ²	25 m ²	25 m ²	25 m ²	12 m ²	20 m ²	28 m ²
<i>Programmable</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Remote control</i>	✓	✓	✓	✓	✓	✓	✗	✗	✗
<i>LED display</i>	✗	✗	✓	✗	✗	✓	✓	✓	✓
<i>LCD display</i>	✓	✓	✗	✓	✓	✗	✗	✗	✗
<i>Floor and wall assembly</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Protection against overheating</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Auto power off</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
<i>Wi-Fi</i>	✗	✗	✓	✗	✗	✓	✓	✓	✓
<i>Measures</i>	83 X 5 X 58 cm	83 X 5 X 58 cm	83 X 5 X 58 cm	97 X 5 X 58 cm	97 X 5 X 58 cm	97 X 5 X 58 cm	51 x 8 x 57.5	61.5 x 8 x 57.5	81 x 8 x 57.5
<i>Weight</i>	7 kg	7 kg	7 kg	8 kg	8 kg	8 kg	10,2 kg	12,8 kg	17.4 Kg

cecotec